


FLASH 2 DATA SHEET




FLASH 10W

	W	K	Lm	
30240103	10W	3000K	750	1/40
30240104	10W	4000K	800	1/40



DIMENSIONS IN MILLIMETERS



BODY **ALU** COLOUR: Negro Mate / Matt Black / Noir Mat


REFRACTOR **TG**

FLASH 2 DATA SHEET





FLASH 20W

	W	K	Lm	
30240203	20W	3000K	1500	1/20
30240204	20W	4000K	1600	1/20



DIMENSIONS IN MILLIMETERS



BODY **ALU** COLOUR: Negro Mate / Matt Black / Noir Mat


REFRACTOR **TG**

FLASH 2 DATA SHEET





FLASH 30W

	W	K	Lm	
30240303	30W	3000K	2250	1/10
30240304	30W	4000K	2400	1/10



DIMENSIONS IN MILLIMETERS



BODY **ALU** COLOUR: Negro Mate / Matt Black / Noir Mat


REFRACTOR **TG**

FLASH 2 DATA SHEET





FLASH 50W

	W	K	Lm	
30240503	50W	3000K	3750	1/10
30240504	50W	4000K	4000	1/10



DIMENSIONS IN MILLIMETERS



BODY **ALU** COLOUR: Negro Mate / Matt Black / Noir Mat


REFRACTOR **TG**

FLASH 2 DATA SHEET






FLASH 100W

	W	K	Lm	
30241003	100W	3000K	7500	1/6
30241004	100W	4000K	8000	1/6



DIMENSIONS IN MILLIMETERS



BODY **ALU** COLOUR: Negro Mate / Matt Black / Noir Mat

REFRACTOR **TG**

FLASH 2 DATA SHEET





FLASH 150W

	W	K	Lm	
30241503	150W	3000K	11250	1/3
30241504	150W	4000K	12000	1/3



DIMENSIONS IN MILLIMETERS



BODY **ALU** COLOUR: Negro Mate / Matt Black / Noir Mat


REFRACTOR **TG**

FLASH 2 DATA SHEET





FLASH 200W

	W	K	Lm	
30242003	200W	3000K	15000	1/2
30242004	200W	4000K	16000	1/2



DIMENSIONS IN MILLIMETERS



BODY **ALU** COLOUR: Negro Mate / Matt Black / Noir Mat



REFRACTOR **TG**

FLASH 2 DATA SHEET




FLASH 300W

	W	K	Lm	
30243004	300W	4000K	24000	1



DIMENSIONS IN MILLIMETERS



BODY **ALU** COLOUR: Negro Mate / Matt Black / Noir Mat

REFRACTOR **TG**


FLASH 2 DATA SHEET




FLASH 400 W

	W	K	Lm	
30244004	400W	4000K	32000	1

|
 |
 85-265 V 50-60 Hz CRI >80 |
 13.5 |
 2x6 mm |
 -20°+50° |
 |
 1 m |
 IK 07 |
 IP 65 |
 PF > 0,9 |
 NO DIM |
 ON OFF |
 36.000 h. |
 120° |
 DRIVER INCL



DIMENSIONS IN MILLIMETERS



BODY **ALU** COLOUR: Negro Mate / Matt Black / Noir Mat

REFRACTOR **TG**